Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY
BY THE UNITED STATES
PUBLIC HEALTH SERVICE

VOLUME 34 :: :: NUMBER 29

JULY 18 - - - 1919

CONTENTS

Treatment of Drug Addiction
Malaria and Anopheline Mosquitoes in California
Antivenereal-Disease and Sex-Hygiene Program for the Colored Population
Narcotic Drugs: Interpretation of Harrison Drug Act

WASHINGTON
GOVERNMENT PRINTING OFFICE
1919

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
10 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Treatment of drug addiction 1577
Occurrence of malaria and anopheline mosquitoes in northern California 1579
Antivenereal-disease and sex-hygiene program for the colored population 1587
Narcotic drugs: Interpretation of Harrison Act 1593
Deaths during week ended July 5, 1919, in cities 1594

PREVALENCE OF DISEASE.

United States:
- Current State summaries—Telegraphic reports for week ended July 12, 1919 1595
- Summary of cases reported monthly by States 1598
- Cerebrospinal meningitis—
  - State reports for March, April, and June, 1919 1598
  - City reports for week ended June 28, 1919 1598
- Leprosy—Benton Harbor, Mich., and New Orleans, La 1599
- Malaria—
  - State reports for March and June, 1919 1599
  - City reports for week ended June 28, 1919 1599
- Pellagra—
  - State reports for January and June, 1919 1600
  - City reports for week ended June 28, 1919 1600
- Plague-infected ground squirrels—Alameda and Contra Costa Counties, Calif 1600
- Pneumonia—City reports for week ended June 28, 1919 1600
- Poliomyelitis (infantile paralysis)—
  - State reports for March and June, 1919 1601
  - City reports for week ended June 28, 1919 1601
- Rabies in animals—Cheyenne, Wyo., Detroit, Mich., and Rochester, N. Y.. 1602
- Smallpox—
  - State reports for January, April, May, and June, 1919—Vaccination histories 1602
  - State reports for March and April, 1919 1603
  - City reports for week ended June 28, 1919 1603
- Tetanus—City reports for week ended June 28, 1919 1604
- Typhoid fever—
  - State reports for January, March, April, May, and June, 1919 1604
  - City reports for week ended June 28, 1919 1605
- Diphtheria, measles, scarlet fever, and tuberculosis—
  - City reports for week ended June 28, 1919 1606

Foreign:
- Australia—Influenza—State of Queensland declared infected—Quarantine. 1612
- China—Cholera—Foochow 1612
- Guatemala—Quarantine against ports in Salvador 1612
- Honduras—Quarantine against La Union, Salvador 1612
- Italy—Typhus fever 1612
- Japan—Cholera—Taihoku 1612
- Mesopotamia—Plague—Basra and vicinity 1613
- Nicaragua—Quarantine against La Union, Salvador 1613

Foreign—Continued. Page.
Peru—Yellow fever—Payta 1613
Salvador—Further relative to yellow fever 1613
Straits Settlements—Influenza—1918–1919—Singapore 1613
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended July 18, 1919—
Cholera 1614
Plague 1614
Smallpox 1615
Typhus fever 1616
Yellow fever 1616
Reports received from June 28 to July 11, 1919—
Cholera 1617
Plague 1617
Smallpox 1618
Typhus fever 1619
Yellow fever 1619